

 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date Print Date 08/31/2015

 Version
 1
 Print Date Page 1 of 9

#### **SECTION 1. IDENTIFICATION**

Product name : 3269-2 Glaze Frit, Leadless 50 Lb bag

00000000001130102

Product code : RS FP 600391

Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250

Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

Disposal considerations : Dispose of wastes in an approved waste disposal facility.

**Emergency telephone number** 

CHEMTREC In-Country : (800)424-9300

Number

CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

Industrial use

Restrictions on use : Reserved for industrial and professional use.

Reserved for industrial and professional use.

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS Label element**

Not a hazardous substance or mixture.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **Hazardous components**

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

General advice : Consult a physician.

If inhaled : Remove to fresh air.



 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date 07/07/2015

 Version
 1
 Print Date 08/31/2015

 Material number
 1130102
 Page Page 2 of 9

If unconscious place in recovery position and seek medical

advice.

Never give anything by mouth to an unconscious person.

Remove to fresh air.

If unconscious place in recovery position and seek medical

advice.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash off immediately with soap and plenty of water.

If a person feels unwell or symptoms of skin irritation appear,

consult a physician.

Wash off immediately with soap and plenty of water.

If a person feels unwell or symptoms of skin irritation appear,

consult a physician.

In case of eye contact : Rinse immediately with plenty of water and seek medical

advice.

Rinse immediately with plenty of water and seek medical

advice.

If swallowed : Do NOT induce vomiting.

Rinse immediately with plenty of water and seek medical

advice.

Do NOT induce vomiting.

Rinse immediately with plenty of water and seek medical

advice.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

Exposure to decomposition products may be a hazard to

health.

Do not allow run-off from fire fighting to enter drains or water

courses.

Exposure to decomposition products may be a hazard to

health.

Do not allow run-off from fire fighting to enter drains or water

courses.



 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 3 of 9

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation.

Follow safe handling advice and personal protective

equipment recommendations.

: Ensure adequate ventilation.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Do not flush in

Do not flush into surface water or sanitary sewer system.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Prevent product from entering drains.

Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not get in eyes or mouth or on skin.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Do not use in areas without adequate ventilation. Keep away from heat and sources of ignition.

Do not get in eyes or mouth or on skin. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Do not use in areas without adequate ventilation. Keep away from heat and sources of ignition.

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

Keep in a dry, cool and well-ventilated place.



 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 4 of 9

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Apply technical measures to comply with the occupational

exposure limits.

Provide adequate ventilation.

Apply technical measures to comply with the occupational

exposure limits.

Provide adequate ventilation.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Material : Protective gloves

Protective gloves

Eye protection : Safety glasses with side-shields

Ensure that eyewash stations and safety showers are close

to the workstation location. Safety glasses with side-shields

Ensure that eyewash stations and safety showers are close

to the workstation location.

Protective measures : Wear suitable protective equipment.

When using do not eat, drink or smoke.

Hygiene measures : Remove contaminated clothing and protective equipment

before entering eating areas.

Wash hands before breaks and immediately after handling

the product.

Remove contaminated clothing and protective equipment

before entering eating areas.

Wash hands before breaks and immediately after handling

the product.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : coloured

Odour : characteristic

Odour Threshold : No data available



 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 5 of 9

No data available

pH : No data available

Melting point/range : No data available

No data available

Boiling point/boiling range : No data available

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Upper explosion limit : No data available

No data available

Lower explosion limit : No data available

No data available

Vapour pressure : No data available

No data available

Relative vapour density : No data available

No data available

Relative density : No data available

No data available

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

No data available

Partition coefficient: n-

octanol/water

: No data available

No data available

Auto-ignition temperature : not determined

not determined

Thermal decomposition : No data available

No data available



11301023269-2 Glaze Frit, Leadless 50 Lb bagProduct specificationRS\_FP\_600391Revision Date07/07/2015Version1Print Date08/31/2015Material number1130102PagePage 6 of 9

Viscosity

Viscosity, kinematic : No data available

No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

No data available

Chemical stability : No data available

No data available

Possibility of hazardous

reactions

: No data available

No data available

Conditions to avoid : Incompatible materials

Incompatible materials

Incompatible materials : Incompatible with oxidizing agents.

Incompatible with strong acids and bases.

Incompatible with oxidizing agents.

Incompatible with strong acids and bases.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

inhalation (dust/mist/fume)

inhalation (vapour)

Skin

Eye contact

Ingestion

inhalation (dust/mist/fume)

inhalation (vapour)

Skin

Eye contact Ingestion

## **Acute toxicity**

Not classified based on available information.

## Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.



 1130102
 3269-2 Glaze Frit, Leadless
 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 7 of 9

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

## Persistence and degradability

No data available

# Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available



 1130102
 3269-2 Glaze Frit, Leadless
 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 8 of 9

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of wastes in an approved waste disposal facility.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

49 CFR DOT

Not regulated as a hazardous material

### **SECTION 15. REGULATORY INFORMATION**

TSCA list : TSCA 5a - Not relevant

TSCA\_12b - Not relevant

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

frits, chemicals (group 2) 65997-18-4

**New Jersey Right To Know** 

frits, chemicals (group 2) 65997-18-4

California Prop 65 This product does not contain any chemicals known to State



 1130102
 3269-2 Glaze Frit, Leadless 50 Lb bag

 Product specification Version
 RS\_FP\_600391
 Revision Date
 07/07/2015

 Version
 1
 Print Date
 08/31/2015

 Material number
 1130102
 Page
 Page 9 of 9

of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

CH INV : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

: frits, chemicals (group 2)

ENCS : On the inventory, or in compliance with the inventory

ISHL : Not in compliance with the inventory

: frits, chemicals (group 2)

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA), CH INV (Switzerland), MY INV (Malaysia), TR INV (Turkey), TW INV (Taiwan)

## **SECTION 16. OTHER INFORMATION**

Revision Date : 07/07/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.