



**Cress Mfg. Company, Inc.**

4736 Convair Dr.  
 Carson City, NV 89706  
 Phone (800)423-4584, (775)884-2777, E-mail info@cressmfg.com  
 We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

**RETAIL**

Cress Clean Air Vent System is an optional part - \$510.00 (retail)  
 This system cannot be used on all our kilns. Please see notes to find out if the Clean Air System can be used with the

Sectional Kilns available for an additional \$50.00

10 and 12 sided kilns come standard with an easy to open " LID ASSIST"

January 1, 2018

"B" Models	60 Hertz Volt	Retail Price	Thickness Brick Inches	Maximum Cone/Temp.	Chamber Opening	Dimensions Depth	Cu.Ft.	Outside Width	Outside Depth	Dimension Height	Amps	Kilo-Watts	Shipping Weight Pounds	Includes Limit Timer
A4HKT	115	\$ 545.00	2.5	10	2350	6.5" X 6.5"	4.5'	13"	17"	17.5"	15	1.7	50	YES
<b>A8HKT</b>	<b>115</b>	<b>\$ 825.00</b>	<b>3</b>	<b>10</b>	<b>2350</b>	<b>8" x 8"</b>	<b>.33'</b>	<b>15.5"</b>	<b>19.5"</b>	<b>23"</b>	<b>15</b>	<b>1.7</b>	<b>70</b>	<b>YES</b>
BT511KT	115	\$ 545.00	3	10	2350	11" HEX.	4.5'	17"	20.5"	18.5"	15	1.7	60	YES
<b>BT711H</b>	<b>115</b>	<b>\$ 694.00</b>	<b>3</b>	<b>8</b>	<b>2300</b>	<b>11" HEX.</b>	<b>.40'</b>	<b>17"</b>	<b>20.5"</b>	<b>20.5"</b>	<b>15</b>	<b>1.7</b>	<b>70</b>	<b>YES</b>
BT911T	115	\$ 899.00	3	6	2250	11" Hex.	9"	0.55'	17"	24"	15	1.7	80	Yes
<b>B1414T</b>	<b>240</b>	<b>\$ 1,125.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>14.38"Hep.</b>	<b>13.5"</b>	<b>1.38'</b>	<b>22"</b>	<b>22.5"</b>	<b>16</b>	<b>3.8</b>	<b>110</b>	<b>Yes</b>
B1814HP	240	\$ 1,375.00	2.5	6	2250	14.38"Hep.	18"	1.8'	21"	24.5"	24	4.2	120	Yes
Dual voltage	208	\$ 1,375.00	2.5	6	2250	14.38"Hep.	18"	1.8'	21"	24.5"	23	4.2	120	Yes
<b>B18HT</b>	<b>240</b>	<b>\$ 1,410.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>17.5" Oct.</b>	<b>18"</b>	<b>2.6'</b>	<b>22.5"</b>	<b>26"</b>	<b>22</b>	<b>5.3</b>	<b>140</b>	<b>Yes</b>
	<b>208</b>	<b>\$ 1,410.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>17.5" Oct.</b>	<b>18"</b>	<b>2.6'</b>	<b>22.5"</b>	<b>26"</b>	<b>26</b>	<b>5.3</b>	<b>140</b>	<b>Yes</b>
B23HT	240	\$ 1,550.00	2.5	6	2250	17.5" Oct.	22.5"	3.3'	22.5"	26"	24	6	150	Yes
	208	\$ 1,550.00	2.5	6	2250	17.5" Oct.	22.5"	3.3'	22.5"	26"	29	6	150	Yes
<b>B2418HT</b>	<b>240</b>	<b>\$ 2,140.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>18"</b>	<b>4.7'</b>	<b>29.5"</b>	<b>34"</b>	<b>36</b>	<b>7.9</b>	<b>210</b>	<b>Yes</b>
BT2418HT interior	full size 240	\$ 2,230.00	3	6	2250	23.38" Dec	18"	4.7'	30.5"	33"	36	7.9	245	Yes
<b>B2418HT</b>	<b>208</b>	<b>\$ 2,140.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>18"</b>	<b>4.7'</b>	<b>29.5"</b>	<b>34"</b>	<b>53</b>	<b>7.9</b>	<b>210</b>	<b>Yes</b>
BT2418HT	208	\$ 2,230.00	3	6	2250	23.38" Dec	18"	4.7'	30.5"	33"	53	7.9	245	Yes
<b>B24HT</b>	<b>240</b>	<b>\$ 2,520.00</b>	<b>2.5</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>22.5"</b>	<b>5.8'</b>	<b>29.5"</b>	<b>32.5"</b>	<b>38</b>	<b>9.1</b>	<b>210</b>	<b>Yes</b>
B24HT	208	\$ 2,520.00	2.5	6	2250	23.38" Dec	22.5"	5.8'	29.5"	32.5"	44	9.1	210	Yes
<b>BT24HT</b>	<b>full size 240</b>	<b>\$ 2,614.00</b>	<b>3</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>22.5"</b>	<b>5.8'</b>	<b>30.5"</b>	<b>33.5"</b>	<b>38</b>	<b>9.1</b>	<b>245</b>	<b>Yes</b>
<b>BT24HT</b>	<b>interior 208</b>	<b>\$ 2,614.00</b>	<b>3</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>22.5"</b>	<b>5.8'</b>	<b>30.5"</b>	<b>33.5"</b>	<b>44</b>	<b>9.1</b>	<b>245</b>	<b>Yes</b>
B27HT*	240	\$ 2,899.00	2.5	6	2250	23.38" Dec	27"	7'	29.5"	32.5"	48	11	275	Yes
	3 phase 208	\$ 2,899.00	2.5	6	2250	23.38" Dec	27"	7'	29.5"	32.5"	33	11	275	Yes
<b>BT27HT*</b>	<b>full size 240</b>	<b>\$ 3,035.00</b>	<b>3</b>	<b>6</b>	<b>2250</b>	<b>23.38" Dec</b>	<b>27"</b>	<b>7'</b>	<b>30.5"</b>	<b>33.5"</b>	<b>45</b>	<b>11</b>	<b>300</b>	<b>Yes</b>
(Full size interior)	3 phase 208	\$ 3,035.00	3	6	2250	23.38" Dec	27"	7'	30.5"	33.5"	33	11	300	Yes

\*Three phase available. For 3" brick change "B" to "BT" in model number. Interior is full size, not reduced in size.

\*\*\*\* 6-50P for UL version and L6-60P for CSA version plug cap.

Add "S" after first letter in model number for sectional kiln at additional cost of \$50.00.

Add "F" after model number for "fan ready" option.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.

SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Sectional Kilns available for an additional \$50.00

10 and 12 sided kilns come standard with an easy to open" LID ASSIST"

January 1, 2018

"E"	50/60 Hertz	RETAIL	Thickness	Maximum	Chamber	Dimensions	Outside	Outside	Dimensions		Kilo-	Shipping	Price		
Models	Volt	PRICE	Brick	Cone Temp.	Opening	Depth	Cu.Ft.	Width	Depth	Height	Amps	Watts	Weight	Includes	
			Inches										Pounds	Limit Timer	
A84HB	115	\$ 765.00	2.5	10	2350	8" x 8"	4.5"	.15'	14.5"	19.5"	15	1.7	50	Electronic	
A8HB	115	\$ 935.00	3	10	2350	8" x 8"	9"	.33'	15.5"	19.5"	15	1.7	70	Electronic	
ET911	115	\$ 999.00	3	6	2250	11"Hex.	9"	0.55'	17"	20.5"	15	1.7	100	Electronic	
E1414	240	\$ 1,425.00	2.5	10	2350	14"Hep.	13.5"	1.8'	21"	25.5"	22	4.8	100	Electronic	
E1814	220/208	\$ 1,560.00	2.5	10	2350	14"Hep.	18"	1.8'	21"	25.5"	24	5.2	120	Electronic	
E18	220	\$ 1,740.00	2.5	10	2350	17.5" Oct.	18"	2.6'	22.5"	26"	25	5.5	140	Electronic	
	208	\$ 1,740.00	2.5	10	2350	17.5" Oct.	18"	2.6'	22.5"	26"	26	5.5	140	Electronic	
ET18	full size 220	\$ 1,814.00	3	10	2350	17.5" Oct.	18"	2.6'	23.5"	27"	25	5.5	165	Electronic	
(full size interior)	208	\$ 1,814.00	3	10	2350	17.5" Oct.	18"	2.6'	23.5"	27"	26	5.5	165	Electronic	
E23**	240	\$ 1,880.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36	8.6	150	Electronic	
**Dual voltage	208	\$ 1,880.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	32	6.6	150	Electronic	
ET23**	full size 240	\$ 1,980.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	36	8.6	175	Electronic	
**Dual voltage	interior 208	\$ 1,980.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	32	6.6	175	Electronic	
E2418	240	\$ 2,399.00	2.5	10	2350	23.38" Dec	18"	4.7'	29.5"	34"	36	7.9	210	Electronic	
ET2418 interior	full size 240	\$ 2,523.00	3	10	2350	23.38" Dec	18"	4.7'	30.5"	35"	36	7.9	245	Electronic	
E24HP	240	\$ 2,720.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	48	11.5	210	Electronic	
	208	\$ 2,720.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	53	11	210	Electronic	
ET24HP	full size 240	\$ 2,830.00	3	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	48	11.5	245	Electronic	
(full size interior)	208	\$ 2,830.00	3	10	2350	23.38" Dec	22.5"	5.8'	30.5"	35"	53	11	245	Electronic	
EOT203023	240	\$ 2,930.00	3	10	2350	20"X30"	22.5"	6.6'	41.5"	28.5"	48	11.5	350	Electronic	
E27	240	\$ 2,985.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	34"	48	11.5	275	Electronic	
	208	\$ 2,985.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	34"	55	11	275	Electronic	
ET27	full size 240	\$ 3,080.00	3	10	2350	23.38" Dec	27"	7'	30.5"	35"	48	11.5	300	Electronic	
(full size interior)	208	\$ 3,080.00	3	10	2350	23.38" Dec	27"	7'	30.5"	35"	55	11	300	Electronic	
ET2818***	240	\$ 2,999.00	3	10	2350	28.13" RD	18"	6.6'	35.5"	40"	48	11.5	300	Electronic	
	208	\$ 2,999.00	3	10	2350	28.13" RD	18"	6.6'	35.5"	40"	54	11.2	300	Electronic	
ET31	240	\$ 3,565.00	3	10	2350	23.38" Dec	31.5"	8'	30.5"	33.5"	48	11.5	315	Electronic	
ET28***	240	\$ 3,575.00	3	10	2350	28.13" RD	27"	9.9'	35.5"	40"	48	11.5	450	Electronic	
	208	\$ 3,575.00	3	10	2350	28.13" RD	27"	9.9'	35.5"	40"	55	11.5	450	Electronic	
ET2831***	240	\$ 4,325.00	3	10	2350	28.13" RD	31.5"	11.57'	35.5"	45"	70	16.8	460	Electronic	
	208	\$ 4,325.00	3	10	2350	28.13" RD	31.5"	11.57'	35.5"	45"	45	16.8	460	Electronic	
EC30FH*	240	\$ 17,999.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	61	14	1400	Electronic	
	208	\$ 17,999.00	6.5	10	2350	24" Sq.	30"	10'	52"	40"	68	14	1400	Electronic	
EC242431FH	240	\$ 6,945.00	3	10	2350	24"X31.5"	24"	10.5'	44.5"	33.5"	65	15.6	700	Electronic	
EC32FH "PM"	elements 240	\$ 13,065.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	74	17	1200	Electronic
"PM" elements	208	\$ 13,065.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	86	17	1200	Electronic
"PM" elements	3 phase 208	\$ 13,065.00	3 +1.5 BLK	12	2400	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	53	17	1200	Electronic
EC32FHL	230	\$ 11,999.00	3 +1.5 BLK	10	2350	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	74	17	1200	Electronic
	208	\$ 11,999.00	3 +1.5 BLK	10	2350	28"W 32"H	26"	13.4'	47" WIDE	70" HIGH	44" DEEP	86	17	1200	Electronic

Add "S" after first letter in model number for sectional kiln at additional cost of \$50. Many kilns also available 3 phase if required, let us know your needs.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area. SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

\*Three phase available. For 3" brick change "E" to "ET" in model number. Interior is full size, not reduced in size.

**10 and 12 sided kilns come standard with an easy to open" LID ASSIST"  
Sectional Kilns available for an additional \$50.00**

**January 1, 2018**

Firemate	60 Hertz	RETAIL	Thickness	Maximum	Chamber	Dimensions	Outside	Outside	Dimensions		Kilo-	Shipping			
Models	Volt	PRICE	Brick	Cone Temp.	Opening	Depth	Cu.Ft.	Width	Depth	Height	Amps	Watts	Weight	Includes	
			Inches										Pounds	Limit Timer	
FTX911M	115	\$ 1,015.00	3	6	2250	11" Hex	9"	0.55'	17"	20.5"	24"	15	1.7	80	Yes
FX1414F	240	\$ 1,170.00	2.5	10	2350	14.38" Hep.	13.5"	1.38'	22"	22.5"	27.5"	16	3.8	110	Yes
FX1814HPF**	240	\$ 1,450.00	2.5	10	2350	14" Hep.	18"	1.8'	21"	24.5"	32"	24	5.3	120	Yes
**dual voltage	208	\$ 1,450.00	2.5	10	2350	14" Hep.	18"	1.8'	21"	24.5"	32"	23	4.8	120	Yes
FTX1814HPF	full size 220	\$ 1,515.00	3	10	2350	14" Hep.	18"	1.8'	22"	25.5"	33"	24	5.3	120	Yes
**dual voltage	interior 208	\$ 1,515.00	3	10	2350	14" Hep.	18"	1.8'	22"	25.5"	33"	23	4.8	120	Yes
FX18F	240	\$ 1,590.00	2.5	10	2350	17.5" Oct.	18"	2.6'	22.5"	26"	32"	22	5	140	Yes
FANFARE23F	240	\$ 1,585.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	24	5.3	150	Yes
	208	\$ 1,585.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	32	6.6	150	Yes
FX23F	220	\$ 1,730.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	24	5.3	150	Yes
	208	\$ 1,730.00	2.5	10	2350	17.5" Oct.	22.5"	3.3'	22.5"	26"	36.5"	32	6.6	150	Yes
FTX23F	full size 240	\$ 1,915.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	24	5.3	175	Yes
(full size interior)	208	\$ 1,915.00	3	10	2350	17.5" Oct.	22.5"	3.3'	23.5"	27"	37.5"	32	6.6	175	Yes
FX24F****	240	\$ 2,690.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	38	5.5	150	Yes
	208	\$ 2,690.00	2.5	10	2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	40	5.5	150	Yes
FTX24F****	full size 240	\$ 2,870.00	3	10	2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	38	5.5	175	Yes
(full size interior)	208	\$ 2,870.00	3	10	2350	23.38" Dec	22.5"	5.8'	29.5"	32.5"	37.5"	40	5.5	175	Yes
FX2418F****	240	\$ 2,211.00	2.5	10	2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	36	8.6	210	Yes
	208	\$ 2,211.00	2.5	10	2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	42	8.7	210	Yes
FTX2418F****	240	\$ 2,385.00	3	10	2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	36	8.6	245	Yes
(full size interior)	208	\$ 2,385.00	3	10	2350	23.38" Dec	18"	4.67'	29.5"	32.5"	33"	42	8.7	245	Yes
FX27F	240	\$ 2,930.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	32.5"	42"	48	11.5	275	Yes
	208	\$ 2,930.00	2.5	10	2350	23.38" Dec	27"	7'	29.5"	32.5"	42"	53	11	275	Yes
FTX27F	full size 240	\$ 3,050.00	3	10	2350	23.38" Dec	27"	7'	30.5"	33.5"	42"	48	11.5	300	Yes
(full size interior)	208	\$ 3,050.00	3	10	2350	23.38" Dec	27"	7'	30.5"	33.5"	42"	53	11	300	Yes
FTX28UPF***	240	\$ 3,720.00	3	8	2300	28" RD	27"	9.6'	35.5"	39"	42"	48	9.7	450	Yes
(full size interior)	208	\$ 3,720.00	3	8	2300	28" RD	27"	9.6'	35.5"	39"	42"	55	11.8	450	Yes
FTX31F	240	\$ 3,695.00	3	8	2300	23.38" Dec	31.5"	8'	30.5"	33.5"	46.5"	48	11.5	315	Yes
(full size interior)	208	\$ 3,695.00	3	8	2300	23.38" Dec	31.5"	8'	30.5"	33.5"	46.5"	55	12.9	315	Yes
**Dual voltage kilns may be fired on either 208 or 240 volt power. ***lid/wt price add \$144.00 at time of order for lid counter weight.											***** 6-50P plug for UL and L6-60P plug for CSA versions.				
****Built to the same standards as NRTL/c and UL specs 499 but not submitted for certification due to the low volume sold of these units..											SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE				
<b>Note: our thick wall models shown above maintain the full inside dimensions of the base models so your furniture kits fit properly.</b>															
<b>You get more with Cress kilns. Designate 3" thick wall brick by using "FTX" instead of "FX" in model number.</b>															
<b>CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.</b>															
<b>3" brick kilns have full size interiors, not reduced in size.</b>															

**10 and 12 sided kilns come standard with an easy to open " LID ASSIST"  
Sectional Kilns available for an additional \$50.00**

**January 1, 2018**

"C"	60 Hertz	RETAIL PRICE	Thickness Total	Maximum Cone Temp.	Chamber Opening	Dimensions Depth	Dimensions Cu.Ft.	Outside Width	Outside Depth	Dimensions Height	Total Amps	Kilo-Watts	Shipping Weight Pounds	Includes Limit Timer
C11H	115	\$ 1,799.00	4	6 2250	11" X 11"	11"	0.77'	19"	21.75"	23.75"	15	1.7	100	Yes
C14T	115	\$ 2,075.00	6	03 2000	11" X 11"	13.5"	0.95'	23"	25.5"	28.5"	15	1.8	150	Yes
C20H**	240	\$ 5,450.00	6	6 2250	17.5" Sq.	20"	3.54'	29.5"	31.5"	35.5"	22	5.1	365	Yes
C26H	240	\$ 8,380.00	6	6 2250	20" Sq.	25"	5.7'	35.5"	37.5"	42.5"	38	8.7	665	Yes
C26H	208	\$ 8,380.00	6	6 2250	20" Sq.	25"	5.7'	35.5"	37.5"	42.5"	42	8.7	665	Yes
C8H**	240	\$ 9,599.00	6	6 2250	24" Sq.	24"	8'	38"	43"	44"	45	10.8	775	Yes
C8H**	208	\$ 9,599.00	6	6 2250	24" Sq.	24"	8'	38"	43"	44"	52	10.8	775	Yes
FXC8H**	240	\$ 10,350.00	6	6 2250	24" Sq.	24"	8'	38"	43"	44"	45	10.8	775	Yes
FXC8H**	208	\$ 10,350.00	6	6 2250	24" Sq.	24"	8'	38"	43"	44"	52	10.8	775	Yes
FXC30FH*	240	\$ 17,999.00	6.5	10 2350	24" Sq.	30"	10'	52"	40"	67"	61	14	1400	Yes
FXC30FH*	208	\$ 17,999.00	6.5	10 2350	24" Sq.	30"	10'	52"	40"	67"	68	15.6	1400	Yes
FXC36FH*	240	\$ 20,595.00	6.5	10 2350	24" Sq.	36"	10'	52"	46"	67"	68	16	1600	Yes
FXC36FH*	208	\$ 20,595.00	6.5	10 2350	24" Sq.	36"	12'	52"	46"	67"	80	16	1600	Yes
The FXC30FH & FXC36FH will fit through a 32" wide opening with the kiln door fully opened (270 degrees).											Specs may change without notice			
C1006	115	\$ 987.00	2.5	3 2000	8.5" X 6.5"	10"	0.3'	15.5"	17.5"	22"	12	1.4	70	no
C1006B***	115	\$ 1,090.00	2.5	3 2000	8.5" X 6.5"	10"	0.3'	15.5"	17.5"	22"	12	1.4	70	control
C104H	115	\$ 1,040.00	3.5	2250	6.5" x 5.5"	9"	.2'	15.5"	17.5"	22"	14	1.6	70	no
C104HB**	115	\$ 1,199.00	3.5	6 2250	6.5" x 5.5"	9"	0.2'	15.5"	17.5"	22"	14	1.6	70	control
*Price includes electronic high limit controller as well as Dawson kiln sitter & limit timer. These kilns may be made up to 6 feet deep inside upon request at additional cost.											***Includes electronic Control			
** These kilns may be made three phase upon request - amperage requirement would be greatly reduced. Kilns are still NRTL/C and Certified to UL standard 499 when 3 phase.														
CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area.											<b>SPECS AND PRICES SUBJET TO CHANGE WITHOUT NOTICE</b>			



**ANALOG PYROMETER**  
SHIPPING WEIGHT 2 LBS.

**FOR**  
**11" DIA HEXAGON KILNS:**  
FX911M & B911H  
1 #10 FULL SHELF  
1 #10 HALF SHELF  
3 1/2" POSTS  
3 1" POSTS  
3 1/2" POSTS  
3 1" POSTS  
3 2" POSTS  
3 3" POSTS  
3 2" POSTS  
3 4" POSTS  
3 6" POSTS  
SHIPPING WT. 15 LBS.  
FKHEXAJR KIT  
\$50.00 RETAIL

**FOR**  
**14" HEPTA KILNS:**  
FX1814, FX1814M & E1814  
2 # 7 FULL SHELVES  
1 #7 HALF SHELF  
3 1/2" POSTS  
3 1" POSTS  
3 2" POSTS  
3 3" POSTS  
3 4" POSTS  
3 5" POSTS  
3 6" POSTS  
SHIPPING WT. 20 LBS  
FKHEPTA KIT  
\$78 RETAIL

**FOR**  
**17.5" DIA OCT KILNS:**  
FX23, FX23M, E23, ET23, E18, B23, & B18H  
2 #19 FULL SHELVES  
1 #19 HALF SHELF  
3 1/2" POSTS  
3 1" POSTS  
3 2" POSTS  
3 3" POSTS  
3 4" POSTS  
3 5" POSTS  
3 6" POSTS  
SHIPPING WT. 30 LBS.  
FKOCTAJR JUNIOR KIT  
\$80 RETAIL

**KILN FURNITURE**

**FOR**  
**17.5" OCTAGON KIL**  
FX23, FX23M, E23, ET23, E18, B23, & B' FX27, FX2418, E27 & ET27  
2 #19 FULL SHELF: 4 #24 SHELVES  
2 #19 HALF SHELF: 4 1/2" POSTS  
4 1" POSTS  
4 2" POSTS  
4 3" POSTS  
4 4" POSTS  
4 5" POSTS  
4 6" POSTS  
SHIPPING WT. 40 LE  
FKOCTA STANDARD  
\$122 RETAIL

**FOR**  
**23.3" DECAGON KILNS:**  
FX27, FX2418, E27 & ET27  
8 #24 HALF SHELVES  
8 1/2" POSTS  
8 1" POSTS  
8 2" POSTS  
8 3" POSTS  
8 4" POSTS  
8 5" POSTS  
8 6" POSTS  
SHIPPING WT 80 LBS.  
FKDECAJUR KIT  
\$149 RETAIL

**DIGITALPYROMETER**  
SHIPPING WEIGHT 2 LBS.



**FOR**  
**28" DIA KILNS:**  
FTX28 & ET28  
8 #28 HALF SHELVES  
8 2" POSTS  
8 4" POSTS  
8 6" POSTS  
8 8" POSTS  
8 10" POSTS  
SHIPPING WT. 200 LBS  
FKDOCEA  
\$370 RETAIL



## GLASS KILNS RETAIL PRICE LIST

**Cress Mfg. Company, Inc.**

4736 Convair Dr.

Carson City, NV 89706

Phone (800)423-4584, (775)884-2777 or FAX 775-884-2991

We invite you to visit our Web Site at [www.cresskilns.com](http://www.cresskilns.com), or FAX (775)884-2991

**JANUARY 1, 2018**

**10 and 12 sided kilns come standard with an easy to open "LID ASSIST"**

FUSERS Models	Volts	Retail Price	Thickness Brick Inches	Maximum Cone/Temp	Chamber Opening	Dimensions Depth	Cu.Ft.	Outside Width	Outside Depth	Dimension Height	Amps	Kilo-Watts	Shipping Weight Pounds
GK1	120	\$1,399.00	2.5	03 / 2000	8"x 8"	6.75"	.25'	15.5"	14.5"	20"	15	1.7	70
<b>GK2</b>	<b>240/208</b>	<b>\$1,827.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>12" x 12"</b>	<b>9"</b>	<b>.75"</b>	<b>25"</b>	<b>25"</b>	<b>39"</b>	<b>19/16</b>	<b>.3/3.3</b>	<b>180</b>
GK3	240	\$2,058.00	2.5	03 / 2000	17" x 17"	9"		31"	26"	39"	24	5.7	200
<b>FUSER75</b>	<b>120</b>	<b>\$694.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>14" HEPT.</b>	<b>4.5"</b>	<b>.46'</b>	<b>21"</b>	<b>18.5"</b>	<b>17.5"</b>	<b>15</b>	<b>1.7</b>	<b>60</b>
<b>FUSER75E</b>	<b>120</b>	<b>\$1,099.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>14" HEPT.</b>	<b>4.5"</b>	<b>.46'</b>	<b>21"</b>	<b>18.5"</b>	<b>17.5"</b>	<b>15</b>	<b>1.7</b>	<b>60</b>
FUSER87	120	\$827.00	2.5	03 / 2000	17.5" OCT.	6 3/4"	.99'	24.5"	29"	21"	18	2.16	90
FUSER87E	120	\$1,236.00	2.5	03 / 2000	17.5" OCT.	6 3/4"	.99'	24.5"	29"	21"	18	2.16	90
<b>FUSER89</b>	<b>240</b>	<b>\$967.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>17.5" OCT.</b>	<b>9"</b>	<b>1.32'</b>	<b>24.5"</b>	<b>29"</b>	<b>25"</b>	<b>20</b>	<b>4.8</b>	<b>100</b>
<b>FUSER89E</b>	<b>240</b>	<b>\$1,299.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>17.5" OCT.</b>	<b>9"</b>	<b>1.32'</b>	<b>24.5"</b>	<b>29"</b>	<b>25"</b>	<b>20</b>	<b>4.8</b>	<b>100</b>
FUSER2414E	240	\$2,079.00	2.5	03 / 2000	23.38" Dec	13.5"	3.5'	29.5"	22.5"	27.5"	36	8.64	225
	208	\$2,079.00	2.5	03 / 2000	23.38" Dec	13.5"	3.5'	29.5"	22.5"	27.5"	31	6.5	225
<b>FUSERO203014E</b>	<b>240</b>	<b>\$2,645.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>20"X30"</b>	<b>13.5"</b>	<b>3.9'</b>	<b>41.5"</b>	<b>28.5"</b>	<b>27.5"</b>	<b>38</b>	<b>9.12</b>	<b>200</b>
	<b>208</b>	<b>\$2,645.00</b>	<b>2.5</b>	<b>03 / 2000</b>	<b>20"X30"</b>	<b>13.5"</b>	<b>3.9'</b>	<b>41.5"</b>	<b>28.5"</b>	<b>27.5"</b>	<b>44</b>	<b>9.15</b>	<b>200</b>
FUSER2418E	240	\$2,699.00	2.5	03 / 2000	23.38" Dec	18"	4.7'	29.5"	34"	33"	42	10	210
<b>FUSERT2814E</b>	<b>240</b>	<b>\$2,790.00</b>	<b>3</b>	<b>03 / 2000</b>	<b>28.13" RD</b>	<b>13.5"</b>	<b>4.9'</b>	<b>35.5"</b>	<b>40"</b>	<b>28.5"</b>	<b>38</b>	<b>9.12</b>	<b>250</b>
	<b>208</b>	<b>\$2,790.00</b>	<b>3</b>	<b>03 / 2000</b>	<b>28.13" RD</b>	<b>13.5"</b>	<b>4.9'</b>	<b>35.5"</b>	<b>40"</b>	<b>28.5"</b>	<b>36</b>	<b>7.5</b>	<b>250</b>
FUSERT2818E	240	\$3,085.00	3	03 / 2000	28.13" RD	18"	6.6'	35.5"	40"	33"	48	11.5	300
	208	\$3,085.00	3	03 / 2000	28.13" RD	18"	6.6'	35.5"	40"	33"	54	11.3	300
<b>FUSERO46E</b>	<b>240</b>	<b>\$3,700.00</b>	<b>3</b>	<b>03 / 2000</b>	<b>46"x28"</b>	<b>13.5"</b>	<b>9.5'</b>	<b>55"</b>	<b>42"</b>	<b>31"</b>	<b>48</b>	<b>11.5</b>	<b>400</b>

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.

\*Three phase available. For 3" brick add a "T" to the end of "FUSERT" in model number. Interior is full size, not reduced in size.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.

**Specs and prices subject to change without notice.**

